


Product number: 17164

# NFC Card PLA - 85,6 x 54 mm - NTAG213 - 180 Byte - white glossy | without print



## Product information

The NFC card made of PLA in a practical credit card format is an alternative for anyone who values the use of renewable raw materials. The PLA plastic is made from corn starch. The integrated NTAG213 chipset technology makes the NFC card highly versatile. Areas of application range from check-in functions to time recording and access control. In addition, it is compatible with all NFC-enabled smartphones, making it easy to run various apps.

## Short description

- Bioplastic (PLA) made from corn starch, PVC coated
- Format 85,6 x 54 mm
- Indoor and outdoor use
- Ambient temperature from -25 to +70 degrees
- NXP NTAG213 (NTAG213) - 180 bytes (NDEF 137 bytes)

## Product description

### NFC product

The core of the white NFC card is made of the bio-plastic PLA and is additionally coated with PVC. The PVC layer ensures that the product can be printed on. The card has a format of 85,6 x 54 mm with a material thickness of 0,86 mm. It has a shiny white surface and fits easily into standard wallet compartments for cards thanks to its typical credit card format. The card material is waterproof and is therefore ideal for both indoor and outdoor use.

### NFC chip

The NFC Card PLA is equipped with the original NXP NTAG213 and offers a cost-effective entry into the NTAG21x series. The NXP NTAG21x series impresses with the greatest possible compatibility, good performance and intelligent additional functions. The NTAG213 has a total capacity of 180 bytes (free memory 144 bytes), of which 137 bytes are usable memory in the NDEF. Each individual chip has a unique serial number (UID) consisting of 7 bytes (alphanumeric, 14 characters). The NFC chip can be written to up to 100,000 times and has a data retention period of 10 years. The NTAG213 has the UID

ASCII mirror feature, with which the UID of the tag can be appended to the NDEF message, as well as an integrated NFC counter, which increases automatically when reading. Both functions are not activated by default. The NTAG213 is compatible with all NFC-enabled smartphones, the NFC21 tools and all ISO14443 end devices.

- Total capacity: 180 bytes
- Free memory: 144 bytes
- Usable memory NDEF: 137 bytes

---

Do you need higher quantities?

[Contact us](#)

## Product properties

Product number	17164
Material	PLA
Weight	6,1 g
Dimensions	85 x 54 mm (W x H)
Memory	180 Byte (free: 144 Byte, NDEF: 137 Byte)
Frequency	13.56 MHz
Chip	NXP NTAG213
Data transfer rates	106 kbit/s
Storage temperature	Min -55°C - Max +125°C
Chip standards / ISO Norm	ISO 14 443-3 A, ISO 14 443-2 A
Operating temperature	Min -25°C - Max +70°C
Data retention	10 years
Number of write operations	100.000 times
Colour category	white
Detail colour	white glossy
Product form	rectangular
Material thickness	0,86 mm (T)
Compatibility	to NFC-enabled smartphones: 100%
Available colours	white
Further links	ntag
Antenna	Aluminium
NFC Forum Type	NFC Forum type 2

Type	Card
Adhesive layer	No
Water resistance	waterproof (IP67)

## More images

