

Product number: 17067UN1

# NFC card PVC printed on one side - 85,6 x 54 mm - NTAG213 - 180 byte - yellow matt - fully coloured | printed on one side | yellow



#### coe-datasheet-sw6.pdf.productInformation

The waterproof, yellow NFC card made of PVC is perfect for corporate applications and everyday use. With the NTAG213 chipset, it enables applications such as check-in, time recording, access control and more. It is compatible with all NFC-enabled smartphones and is also ideal for running various apps.

### Short description

- PVC material, rigid, yellow matt, fully coloured (Pantone 115 U)
- Format 85,6 x 54 mm
- · Indoor and outdoor use
- Ambient temperature -25 to +70 degrees
- NXP NTAG213 (NTAG213) 180 bytes (NDEF 137 bytes)
- Printed on one side
- 4-color printable
- · Print finish: satin

## **Product description**

#### **NFC** product

The NFC card is made of PVC, is fully coloured and has a format of 85.6 x 54 mm with a material thickness of 0.86 mm. Thanks to its typical cheque card format, it fits easily into standard wallet compartments for cards. The PVC material of the card is waterproof and is therefore ideal for both indoor and outdoor use.

#### **Print**

Our products are printed using a process that offers high resolution, colour accuracy and durability. This makes it possible to display images in photorealistic quality or to print even tiny font sizes legibly. This environmentally friendly technology enables us to personalise your products on one or both sides and add logos, images, text or other designs from a wide range of colours. The applied colour layer is



abrasion-resistant and resistant to water, sunlight and chemicals.

For your desired design, simply download our suitable <u>print template</u> and provide us with your desired print layout conveniently via our configurator.

#### **NFC** chip

The NFC card PVC is equipped with the original NXP NTAG213 and offers a cost-effective entry into the NTAG21x series. The NXP NTAG21x series impresses with the greatest possible compatibility, good performance and intelligent additional functions. The NTAG213 has a total capacity of 180 bytes (free memory 144 bytes), of which 137 bytes are usable memory in the NDEF. Each individual chip has a unique serial number (UID) consisting of 7 bytes (alphanumeric, 14 characters). The NFC chip can be written to up to 100,000 times and has a data retention period of 10 years. The NTAG213 has the UID ASCII mirror feature, with which the UID of the tag can be appended to the NDEF message, as well as an integrated NFC counter, which increases automatically when reading. Both functions are not activated by default. The NTAG213 is compatible with all NFC-enabled smartphones, the NFC21 tools and all ISO14443 end devices.

Total capacity: 180 bytesFree memory: 144 bytes

• Usable memory NDEF: 137 bytes

Do you need higher quantities?

Contact us



# **Product properties**

	a mana di la bana a sa	
Product number	17067UN1	
Weight	6,1 g	
Dimensions	85 x 54 mm (W x H)	
Memory	180 Byte (free: 144 Byte, NDEF: 137 Byte)	
Functions	Write protection, UID ASCII Mirror, 32-bit Password, 24-bit Counter, 7 Byte UID, ECC-based original signature, true anticollision, rewritable	
Available colours	yellow, blue, red	
Detail colour	yellow dyed through	
Frequency	13.56 MHz	
Ambient temperature	-25 to 70 degrees	
Chip	NXP NTAG213	
Data transfer rates	106 kbit/s	
Material	PVC	
Storage temperature	Min -55°C - Max +125°C	
Chip standards / ISO Norm	ISO 14 443-3 A, ISO 14 443-2 A	
Operating temperature	Min -25°C - Max +70°C	
Data retention	10 years	
Number of write operations	100.000 times	
Product form	rectangular	
Compatibility	to NFC-enabled smartphones: 100%	
Material thickness	0,84 mm (T)	

# Datasheet for NFC card PVC printed on one side - $85,6 \times 54 \text{ mm}$ - NTAG213 - 180 byte - yellow matt - fully coloured | printed on one side | yellow (17067UN1)



Colour category	yellow
Antenna	Aluminium
NFC Forum Type	NFC Forum type 2
Туре	Card
Adhesive layer	No
Water resistance	waterproof (IP67)



# More images







