Product number: 68722

NFC tag ABS - 40 x 32 mm - MIFARE DESFire EV1 4k - 4096 byte - blue | blue



Product information

Due to the integration of the MIFARE DESFire EV1 4k, the robust NFC tag ABS is often used in industry in areas with high security requirements, for example in access control or locking systems.

Short description

- ABS material, rigid
- Format 40 x 32 mm, oval
- Indoor and outdoor use
- Ambient temperature from -25 to +70 degrees
- NXP MIFARE DESFire Chip EV1 4k

Product description

NFC product

The NFC tag is made of blue ABS material and has a size of 40 x 32 mm with a material thickness of 4.3 mm. The NFC tag has a metal ring which makes it easy to attach. Due to the robust plastic material, the ABS tag is waterproof and is therefore ideal for both indoor and outdoor use.

NFC chip

The ABS tag is equipped with the original MIFARE DESFire EV1 4k (MF3ICD41). The MIFARE DESFire series is intended for the realization of applications with high security requirements and offers corresponding security functions, which enable the protected storage of data on the chip.

The MIFARE DESFire EV1 4k has a total capacity of 4096 bytes, which can be used by up to 28 applications. The DESFire EV1 4k chip has a 7-byte UID. The NFC chip can be written up to 500,000 times and has a data retention of 10 years. The chip is certified according to Common Criteria (EAL4+) and offers, among other things, 3-DES or AES128 compliant encryption. The MIFARE DESFire EV1 4k is compatible with all NFC-enabled terminals. Due to the special functions, special hardware (locking system) or software (app) is usually required for use. Please contact us to clarify the compatibility with your application.

- Total capacity: 4096 bytes
- Free memory: -
- Usable memory NDEF: -

Product properties

Product number	68722
Antenna format	22 mm
Dimensions	40 x 32 mm (W x H)
Frequency	13.56 MHz
Available colours	black , blue
Material thickness	3,6 mm (T)
Data transfer rates	212 kbit/s , 106 kbit/s , 848 kbit/s , 424 kbit/s
Storage temperature	Min -55°C - Max +125°C
Detail colour	blue
Operating temperature	Min -25°C - Max +70°C
Data retention	10 years
Number of write operations	100.000 times
Weight	4 g
Functions	7 Byte UID
Material	ABS
Compatibility	to NFC-enabled smartphones: 100%
Water resistance	waterproof
Product form	oval
Chip standards / ISO Norm	ISO/IEC 7816
Colour category	blue
Antenna	Copper
Type	Keyfob

Delivery options	single
Chip	MIFARE DESFire EV1
Memory	4096 Byte

More images





